


CONVEYING SOLUTIONS



Belting Solutions for Conveying Applications

High Performance Link Belting for Conveying Applications

POWERTWIST MOVE Link Belting

PowerTwist Move is a weldless upgrade to traditional polyurethane belting in conveying applications. It is easily made to length by hand and rolls right on to existing equipment.

Fast, Easy Installation with No Welding Required

- Connect and make to length by hand – no tools and no curing time

Longer Belt Life in Harsh Environments

- Unaffected by extreme temperatures, oil, grease, water and chemicals

Simple Inventory Management

- Less money tied up in spare belting and no belt waste

▶ View a video demo at bit.ly/PTMoveInstall




POWERTWIST MOVE Specialty Link Belting

PowerTwist Move Friction Top – Urethane top layer for increased coefficient of friction

PowerTwist Move SuperGrip Top – Available with green PVC (soft) or orange PU (abrasion-resistant) high-grip top surface for superior conveying capabilities in slippery environments or steep inclines


PowerTwist Move Bridge Top – Non-marking PTFE inserts for contact temperature resistance up to 450°F (232°C)

PowerTwist Move RCS (Reduced Contact Surface) – Utilizes non-marking tabs for a 99% reduction in contact area versus standard V-belts



Average Cost Savings

(compared to urethane and rubber belts)



- 85% reduction in operating costs
- 99% reduction in associated labor hours

Learn more: www.fennerdrives.com/costsavings





EAGLE® SureConnect™

The Strong, "No Weld" Solution for Conveying

Eagle SureConnect is made to length by simply twisting the threaded connector into the matching belt.

- Strong, consistent connection every time
- A true drop-in replacement for an equivalent welded belt
- Fast, simple installation – make endless and install in minutes
- Available in Orange 89 (smooth) and Green 89 T (textured) round belting

▶ View a video demo at bit.ly/SureConnect



EAGLE® Polyurethane Belting


Eagle Non-Reinforced & Reinforced Polyurethane Belting

- Solid polyurethane construction with excellent abrasion resistance
- Available in a variety of profiles, reinforcements, and compliance options to best fit any conveying application
- Huge selection in stock with same day shipping
- Factory Welding is available for all standard and custom Eagle Belts



Eagle Food Grade Belting

- Over 400 Eagle Belts have EC or FDA compliance – perfect for direct food contact
- Blue 80 MD – designed to be detected by standard metal detectors to ensure food safety



Eagle Co-Extruded & SuperGrip Top Belting

- Provides extra grip or cushioning for inclines and conveying delicate items
- Integrally bonded tops outperform all adhesive-bonded special surface belts
- Co-extruded Belting incorporates a 60A top surface with a tough 85A base
- SuperGrip Top Belting comes in PVC, PU, or TPE high grip, low wear top surfaces



Eagle Reinforced Can Cable

- High performance, low cost alternative to steel cables on canning and bottling lines
- 100% polyester reinforced with high tensile cord
- Easily welded endless on site – no splicing required



EAGLE® Welding Kits

- Weld anywhere with the cordless Eagle Freestyle Welder – no outlet required
- Eagle Butt Welding Kit for all Eagle Non-Reinforced and some Reinforced belting
- Eagle Overlap Welding Kit provides the strongest weld for Reinforced belting



Trackstar® UHMW Belt & Chain Guides

- Produced using only the highest quality UHMW-PE for minimum friction and maximum wear resistance
- Wide range of profiles available with or without channel
- Two piece guide and channel design simplifies installation and replacement
- Available from stock with same-day shipping



PowerMax™ Pulleys & Idlers

- Molded from high-strength glass-reinforced nylon composites
- Lightweight alternative to steel and aluminum
- Corrosion resistant – Perfect for wash down applications
- Consistent Strength – High-strength glass-reinforced nylon is high temperature and abrasion resistant



T-MAX® Belt & Chain Tensioners

- Automatically maintains correct tension for optimum drive performance
- Eliminates manual retensioning – decreasing downtime and reducing operating costs
- Constructed of high quality materials for proven durability in harsh environments
- Wide range of tensioners to handle single and multiple strand belt and chain drives





POWERTWIST Roller Drive™ Belting



Upgrade live roller conveyors with the longer-lasting, easy-to-install V-belt

- Drop-in replacement for B/5L/17 V-belts and 9/16" round belts (runs in V & round pulleys)
- Fast, easy installation without dismantling components
- Engineered to last longer than rubber V-belts, especially on powered roller curves
- Make to any length by hand

View a video demo at bit.ly/RollerDrive



EAGLE O-Rings




Eagle Twisted O-Rings

- Easily installed in seconds with no tools and without dismantling line shafts or rollers
- High coefficient of friction
- Quickly connect with metal or plastic connectors



Eagle Endless O-Rings

- Solid polyurethane construction
- Elastic with excellent memory and high coefficient of friction
- Popular 1/8", 3/16" and 1/4" sizes always in stock



EAGLE Blue-Green Driver Pad



- Manufactured to OEM specifications
- Always a consistent profile with ideal hole alignment
- Contains 100% virgin material for maximum performance



Part Number Selection

PowerTwist Move Link Belting

Profile	Size	25'	Size	10m
Round	5/16"	0470125	8mm	0470133
Round	3/8"	0470225	10mm	0470233
Round	1/2"	0470325	13mm	0470333
Round	9/16"	0470425	14mm	0470433
Round	3/4"	0470525	19mm	0470533
V	Z/10	0470625	Z/10	0470633
V	A/13	0470725	A/13	0470733
V	B/17	0470825	B/17	0470833
V	C/22	0470925	C/22	0470933
V	D/32	0471025	D/32	0471033

Eagle SureConnect

Product	Size	Part Number*
Green 89 (Textured) SureConnect Belting	10mm	4934141
	12mm	4934142
	15mm	4934143
Orange 89 (Smooth) SureConnect Belting	18mm	4934144
	3/8"	4934145
	1/2"	4934146
SureConnect Connectors (5/pk and 1 flat wrench)	9/16"	4934147
	3/4"	4934148
	3/8" / 10mm	4935031
	1/2" / 12mm	4935032
	9/16" / 15mm	4935033
	3/4" / 18mm	4935034

* Belting package includes 100'/30.5m belting with 5/pk connectors and 1 flat wrench

Eagle Endless O-Rings

- Popular 1/8", 3/16", 1/4", 5mm and 6mm sizes in stock, other sizes available upon request
- Contact Fenner Drives for part number assistance

Eagle Twisted O-Rings

Product	Dimensions	Part Number*
Eagle Clear 85	3/16" x 6"	5050003
	3/16" x 10"	5050011
	3/16" x 10-1/2"	5050015
	3/16" x 11"	5050012
	3/16" x 11-1/2"	5050911
	3/16" x 12"	5050016
	3/16" x 12-1/2"	5050005
	3/16" x 12-3/4"	5050002
	3/16" x 12-7/8"	5050006
	3/16" x 13"	5050007
	3/16" x 13-1/4"	5050017
	3/16" x 13-1/2"	5050009
	3/16" x 13-3/4"	5050014
	3/16" x 14"	5050008
	3/16" x 14-1/2"	5050010

*50 pieces per box, packaged with metal hooks. Plastic hooks also available.

PowerTwist Move Specialty Link Belting

Product	Size	100'/30.5m
SuperGrip Top PU (Orange Top)	A/13	0430101
	B/17	0435101
	C/22	0440101
SuperGrip Top PVC (Green Top)	A/13	0409100
	B/17	0409200
	C/22	0409300
Friction Top	A/13	0408081
	B/17	0408082
Bridge Top	A/13	0499020
	B/17	0499002
RCS	B/17	0419300

PowerTwist Roller Drive

Profile	25'	100'/30.5m	10m	30m
B	0410300-25	0410300	0411301	0411300

Eagle Blue-Green Driver Pad

250'	500'
4912092	4912096

Eagle Welding Kits

Product	Part Number
Freestyle Welding Kit	5700539
Butt Welding Kit 120 V (Large Clamp)	5700200
Mini Butt Welding Kit 120 V (Mini Clamp)	5700231
Butt Welding Kit 240 V (Large Clamp)	L04FULLWELD240V
Mini Butt Welding Kit 240 V (Mini Clamp)	L04MINIWELD240V
Overlap Welding Kit 120V	5700160K
Overlap Welding Kit 240V	5700161K



Trackstar UHMW Belt Guides

Profile	Size		UHMW		
			only	with Galvanized Channel	with Stainless Steel Channel
Round	3/16"	5mm	GB1006	GB1006-3G	GB1006-3S
Round	1/4"	6mm	GB1000	GB1000-3G	GB1000-3S
Round	5/16"	8mm	GB1001	GB1001-3G	GB1001-3S
Round	3/8"	10mm	GB1002	GB1002-5G	GB1002-5S
Round	1/2"	13mm	GB1003	GB1003-5G	GB1003-5S
Round	9/16"	14mm	GB1004	GB1004-5G	GB1004-5S
Round	5/8"	15mm	GB1005	GB1005-5G	GB1005-5S
Round	3/4"	19mm	GB1007	GB1007-5G	GB1007-5S
V	Z/10		GB2000	GB2000-3G	GB2000-3S
V	A/13		GB2001	GB2001-3G	GB2001-3S
V	B/17		GB2002	GB2002-5G	GB2002-5S
V	C/22		GB2003	GB2003-5G	GB2003-5S

Eagle Belting

- Consult product catalog for complete part number selection: www.fennerdrives.com/catalog
- Many profiles, colors, durometers and sizes available from stock with same day shipping
- Custom belting available upon request with quick order turnaround



www.fennerdrives.com

US and Canada • 1 800 243 3374

Latin America • 1 717 665 2421

Europe, Asia, Australia and Africa • +44 0 870 757 7007

Visit us at www.fennerdrives.com

